

PATENT



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial application of: Alfred O. Bonati, Philip J. Ware

Serial No: 08 / 108,036

Group No.: 3307

Filed: 08/17/93

Examiner: Bennett, C.

For: Cervical Discectomy Instruments and Method

Commissioner of Patents and Trademarks

Washington, D.C. 20231

EXPRESS MAIL CERTIFICATE

"Express Mail" label number TB21941050X

Date of Deposit July 26, 1994

I hereby certify that the following attached paper or fee

Petition for Extension of Time

Election and Response to Restriction Requirement

Post Card

Express Mail Certificate

is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Commissioner of Patents and Trademarks, Washington, D.C. 20231.

Jacqueline Hand

(Typed or printed name of person mailing paper or fee)

A handwritten signature in black ink, appearing to read "Jacqueline Hand".

(Signature of person mailing paper or fee)

NOTE: Each paper must have its own certificate and the "Express Mail" label number as a part thereof or attached thereto. When, as here, the certification is presented on a separate sheet, that sheet must (1) be signed and (2) fully identify and be securely attached to the paper or fee it accompanies. Identification should include the serial number and filing date of the application as well as the type of paper being filed, e.g. complete application, specification and drawings, responses to rejection or refusal, notice of appeal, etc. If the serial number of the application is not known, the identification should include at least the name of the inventor(s) and the title of the invention.

NOTE: The label number need not be placed on each page. It should, however, be placed on the first page of each separate document, such as, a new application, amendment, assignment, and transmittal letter for a fee, along with the certificate of mailing by "Express Mail." Although the label number may be on checks, such a practice is not required. In order not to deface formal drawings it is suggested that the label number be placed on the back of each formal drawing or the drawings be accompanied by a set of informal drawings on which the label number is placed.